



NOTES

GENERAL

1. All dimensions in mm
2. No scaling of drawing
3. Contractor to check all dimensions and setting out and confirm with architect and/or engineer as necessary.
4. Any discrepancy should be notified immediately to the architect and/or engineer by consulting the respective consultants' drawings.
5. Permanent vents (PV) to be provided to all windows and doors except WC doors.

STRUCTURAL

6. All RC works to be in accordance to engineer's detail.

MECHANICAL

7. All plumbing and drainage to comply with MoPW's specification.
 8. All service ducts to be accessible from all floors, all fittings connected to the SVP's or waste pipes.
 9. All bends and junction to have inspection plates.
 10. Drain pipes passing beneath buildings and driveways to be encased in 150mm concrete surround.
 11. All underground ball and valve shall be cast iron to comply to bbs41514 and 5225.
- ELECTRICAL**
12. All electrical works must be installed in accordance with mechanical works.
 13. Any conflicts must be clarified before work.

Revisions

No.	Description	Date

Project
**PROPOSED
GALANA KULALU
OFFICE BLOCK**

Drawing title

Office Block
SCALE 1:50

USER

**RURAL ELECTRIFICATION
AND RENEWABLE ENERGY
CORPORATION**

Scale

1:50

1:50

1:50

1:50

1:50

1:50

1:50

1:50

1:50

1:50

1:50

1:50

1:50

1:50

1:50

1:50



Project job no.	Name	Signature	Date

Checked

Eng.

OKOYA

20/02/2024

APPROVED